



ELSEVIER

Available online at www.sciencedirect.com



Discrete Applied Mathematics 131 (2003) 691–693

**DISCRETE
APPLIED
MATHEMATICS**

www.elsevier.com/locate/dam

Author index to volume 131

- Bang-Jensen, J. and S. Thomassé, Highly connected hypergraphs containing no two edge-disjoint spanning connected subhypergraphs (2) 555–559
- Bang Le, V.-B., see H.-O. Le (1) 199–212
- Bodlaender, H.L., R.B. Tan and J. van Leeuwen, Finding a Δ -regular supergraph of minimum order (1) 3–9
- Boliac, R. and V.V. Lozin, An augmenting graph approach to the stable set problem in P_5 -free graphs (3) 567–575
- Boros, E., K. Elbassioni, V. Gurvich and L. Khachiyan, An inequality for polymatroid functions and its applications (2) 255–281
- Bouchitté, V. and I. Todinca, Approximating the treewidth of AT-free graphs (1) 11–37
- Brandstädt, A., C.T. Hoàng and V.B. Le, Stability number of bull- and chair-free graphs revisited (1) 39–50
- Brešar Boštjan, W. Imrich and Sandi Klavžar, Fast recognition algorithms for classes of partial cubes (1) 51–61
- Cai, L., The complexity of the locally connected spanning tree problem (1) 63–75
- Čenek, E. and L. Stewart, Maximum independent set and maximum clique algorithms for overlap graphs (1) 77–91
- Chepoi, V. and F. Dragan, Finding a central vertex in an HHD-free graph (1) 93–111
- Cohen, G., S. Encheva, S. Litsyn and H.G. Schaathun, Erratum to “Intersecting codes and separating codes” [Discrete Applied Mathematics 128 (2003) 75–83] (3) 689–690
- Connamacher, H.S. and A. Proskurowski, The complexity of minimizing certain cost metrics for k -source spanning trees (1) 113–127
- Courcelle, B. and R. Vanicat, Query efficient implementation of graphs of bounded clique-width (1) 129–150
- Dahlhaus, E., P. Dankelmann, W. Goddard and H.C. Swart, MAD trees and distance-hereditary graphs (1) 151–167
- Danilov, V.I., G.A. Koshevoy and C. Lang, Gross substitution, discrete convexity, and submodularity (2) 283–298
- Dankelmann, P., see E. Dahlhaus (1) 151–167
- Desai, M.P., H. Narayanan and S.B. Patkar, The realization of finite state machines by decomposition and the principal lattice of partitions of a submodular function (2) 299–310
- Dragan, F., see V. Chepoi (1) 93–111
- Durand, S., Finding sharper distinctions for conditions of transitivity of the majority method (3) 577–595
- Elbassioni, K., see E. Boros (2) 255–281
- Encheva, S., see G. Cohen (3) 689–690
- Fernandez de la Vega, W. and M. Lamari, The task allocation problem with constant communication (1) 169–177
- Fiorini, S. and P. Fishburn, Facets of linear signed order polytopes (3) 597–610

- Fishburn, P., see S. Fiorini (3) 597–610
- Fleischer, L. and S. Iwata, A push-relabel framework for submodular function minimization and applications to parametric optimization (2) 311–322
- Fomin, F.V. and D.M. Thilikos, On the monotonicity of games generated by symmetric submodular functions (2) 323–335
- Frank, A. and L. Szegő, Constructive characterizations for packing and covering with trees (2) 347–371
- Frank, A. and T. Király, Combined connectivity augmentation and orientation problems (2) 401–419
- Frank, A., Restricted t -matchings in bipartite graphs (2) 337–346
- Frank, A., T. Király and M. Kriesell, On decomposing a hypergraph into k connected sub-hypergraphs (2) 373–383
- Frank, A., T. Király and Z. Király, On the orientation of graphs and hypergraphs (2) 385–400
- Fu, T.-S. and K.-S. Lin, Lattice hypercube designs (3) 673–680
- Fujishige, S., Foreword (2) 253–254
- Ge, G. and A.C.H. Ling, A new construction for Z -cyclic whist tournaments (3) 643–650
- Gebremedhin, A.H., I.G. Lassous, J. Gustedt and J.A. Telle, Graph coloring on coarse grained multicomputers (1) 179–198
- Goddard, W., see E. Dahlhaus (1) 151–167
- Gurvich, V., see E. Boros (2) 255–281
- Gustedt, J., see A.H. Gebremedhin (1) 179–198
- Hoàng, C.T., see A. Brandstädt (1) 39– 50
- Imrich, W., see Boštjan Brešar (1) 51– 61
- Iwata, S., see L. Fleischer (2) 311–322
- Jordán, T., On minimally k -edge-connected graphs and shortest k -edge-connected Steiner networks (2) 421–432
- Kashiwabara, K. and T. Takabatake, Polyhedra with submodular support functions and their unbalanced simultaneous exchangeability (2) 433–448
- Kashiwabara, K. and Y. Okamoto, A greedy algorithm for convex geometries (2) 449–465
- Khachiyan, L., see E. Boros (2) 255–281
- Király, T., see A. Frank (2) 373–383
- Király, T., see A. Frank (2) 385–400
- Király, T., see A. Frank (2) 401–419
- Király, Z., see A. Frank (2) 385–400
- Klavar, Sandi, see Boštjan Brešar (1) 51– 61
- Koshevoy, G.A., see V.I. Danilov (2) 283–298
- Kratsch, D., Preface (1) 1– 1
- Kriesell, M., see A. Frank (2) 373–383
- Lamari, M., see W. Fernandez de la Vega (1) 169–177
- Lang, C., see V.I. Danilov (2) 283–298
- Lassous, I.G., see A.H. Gebremedhin (1) 179–198
- Le, H.-O., V.-B. Bang Le and H. Müller, Splitting a graph into disjoint induced paths or cycles (1) 199–212
- Le, V.B., see A. Brandstädt (1) 39– 50
- Lin, K.-S., see T.-S. Fu (3) 673–680
- Lin, Y.-B., Z. Miller, M. Perkel, D. Pritikin and I.H. Sudborough, Expansion of layouts of complete binary trees into grids (3) 611–642
- Ling, A.C.H., see G. Ge (3) 643–650
- Litsyn, S., see G. Cohen (3) 689–690
- Lozin, V.V., see R. Boliaç (3) 567–575

- Miller, Z., see Y.-B. Lin
- Mizuki, T., H. Shizuya and T. Nishizeki, Characterization of optimal key set protocols (1) 213–236
- Müller, H., see H.-O. Le (1) 199–212
- Murota, K. and A. Shioura, Quasi M-convex and L-convex functions—quasi-convexity in discrete optimization (2) 467–494
- Murota, K. and A. Tamura, New characterizations of M-convex functions and their applications to economic equilibrium models with indivisibilities (2) 495–512
- Nakamura, M., see Y. Okamoto (2) 523–533
- Narayanan, H., A note on the minimization of symmetric and general submodular functions (2) 513–522
- Narayanan, H., see M.P. Desai (2) 299–310
- Narayanan, H., see S.B. Patkar (2) 535–553
- Nishizeki, T., see T. Mizuki (1) 213–236
- Okamoto, Y. and M. Nakamura, The forbidden minor characterization of line-search antimatroids of rooted digraphs (2) 523–533
- Okamoto, Y., see K. Kashiwabara (2) 449–465
- Patkar, S.B. and H. Narayanan, Improving graph partitions using submodular functions (2) 535–553
- Patkar, S.B., see M.P. Desai (2) 299–310
- Peeters, R., The maximum edge biclique problem is NP-complete (3) 651–654
- Parker, M., see Y.-B. Lin (3) 611–642
- Pisarcuk, N.N., A fully combinatorial 2-approximation algorithm for precedence-constrained scheduling a single machine to minimize average weighted completion time (3) 655–663
- Pritikin, D., see Y.-B. Lin (3) 611–642
- Proskurowski, A., see H.S. Connacher (1) 113–127
- Rigo, M., The commutative closure of a binary slip-language is context-free: a new proof (3) 665–672
- Schaathun, H.G., see G. Cohen (3) 689–690
- Shioura, A., see K. Murota (2) 467–494
- Shizuya, H., see T. Mizuki (1) 213–236
- Stewart, L., see E. Čenek (1) 77–91
- Sudborough, I.H., see Y.-B. Lin (3) 611–642
- Swart, H.C., see E. Dahlhaus (1) 151–167
- Szegő, L., see A. Frank (2) 347–371
- Takabatake, T., see K. Kashiwabara (2) 433–448
- Tamura, A., see K. Murota (2) 495–512
- Tan, R.B., see H.L. Bodlaender (1) 3–9
- Telle, J.A., see A.H. Gebremedhin (1) 179–198
- Thilikos, D.M., see F.V. Fomin (2) 323–335
- Thomassé, S., see J. Bang-Jensen (2) 555–559
- Todinca, I., see V. Bouchitté (1) 11–37
- Vanicat, R., see B. Courcelle (1) 129–150
- van Leeuwen, J., see H.L. Bodlaender (1) 3–9
- Woeginger, G.J., On the approximability of average completion time scheduling under precedence constraints (1) 237–252
- Yan, W. and F. Zhang, Heredity of the index of convergence of the line digraph (3) 681–688
- Zhang, F., see W. Yan (3) 681–688